

REGIONAL WATER TESTING LAB, SANGRUR

Prem Basti, D. C Office Road, Opposite to Punjab Gramin Bank, Sangrur
rwtlsangrur@gmail.com

To,

Principal
Satya Bharti Adarsh Sr. Sec. School, Jhaneri Distt. Sangrur


No.: RWTL/SNG/2627/00019 Dated : 14/04/2026

Subject : Testing Reports of Water Samples.

Reference: Your Letter/SRF No. SBASS/136/26-27 Dated: 02/04/2026

As per above cited subject and reference, Please find enclosed here with the report of 1 Water sample/s received on dated 13/04/2026. It is request to fill the attached feedback form and send it back to Regional Water Testing Lab, Sangrur

D/A : Test Report



**Authorized Signatory
For, Regional Water Testing Lab
Sangrur**

REGIONAL WATER TESTING LAB, SANGRUR

Prem Basti, D. C Office Road, Opposite to Punjab Gramin Bank, Sangrur
rwtlsangrur@gmail.com


TEST REPORT

Name & Address of Customer : Principal Satya Bharti Adarsh Sr. Sec. School, Jhaneri Distt. Sangrur		Customer Reference No.	No : SBASS/136/26-27 Dated : 02/04/2026
		Sample Submitted by	Shabnam Sinha
		Date of Sample Receipt	13/04/2026
		Analysis Starting Date	13/04/2026
		Analysis completion Date	14/04/2026
Discipline : Chemical Testing, Bacteriological Testing		Group: Water	
ULR No.:		Sample Type :	Water
Test Report No.:	RWTL/SNG/2627/00019	Date of Issue :	14/04/2026
Registration no.:	RWTL/SNG/REG2627/00053	Condition of Sample :	Unsealed
Collection Point:	Private Submersible	Quantity/Type of Bottle:	1000 ml / Plastic Bottles
Scheme/Source:	Not Mentioned(Not Mentioned)	Location/Depth :	NA / 350 ft
Village :	Not Mentioned	Habitation :	Not Mentioned
Block:	Not Mentioned	District :	Sangrur
Latitude :	Not Mentioned	Longitude:	Not Mentioned

Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	pH	7.95	6.5-8.5	No Relaxation	--	IS 3025 (Part 11-2022) Electrometric Method
2	Colour	2	5	15	CU	IS 3025(Part 4-2021) Visual Comparison Method
3	Odour	Agreeable	Agreeable	Agreeable	--	IS 3025 (Part 5 – 2018) (Second Revision)
4	TDS	385	500	2000	mg/l	IS 3025 (Part 16-2023) Gravimetric Method
5	Turbidity	BDL	1	5	NTU	IS 3025 (Part 10-2023) Nephelometric Method
6	T. Alkalinity(CaCO3)	248	200	600	mg/l	IS 3025 (Part 23-2023) Indicator Method
7	T. Hardness(CaCO3)	140	200	600	mg/l	IS 3025 (Part 21- 2009)(RA 2023) EDTA Method
8	Calcium(Ca)	32	75	200	mg/l	IS 3025 (Part 40-2024) EDTA Titrimetric Method
9	Magnesium(Mg)	15	30	100	mg/l	APHA (24th Ed.2023) Method: 3500-Mg+2 B By Calculation Method
10	Chloride(Cl)	30	250	1000	mg/l	IS 3025 (Part 32-1988) Argentometric Method
11	Iron(Fe)	BDL	1.0	No Relaxation	mg/l	Spectrophotometric Method
12	Sulphate(SO4)	BDL	200	400	mg/l	Spectrophotometric Method
13	Fluoride(F)	BDL(0.05)	1.0	1.5	mg/l	APHA 4500 F-(23rd Ed. 2017)/IS-3025 (Part-60)

Continue on next page...

Reviewed and Approved By



Dr. Ramesh Jhorar
Quality Manager
Authorized Signatory
For, Regional Water Testing Lab
Sangrur

REGIONAL WATER TESTING LAB, SANGRUR


Prem Basti, D. C Office Road, Opposite to Punjab Gramin Bank, Sangrur
rwtsangrur@gmail.com

14	Nitrate(NO3)	<5	45	No Relaxation	mg/l	Spectrophotometric Method/ APHA 4500 NO3- (23rd Ed. 2017)
15	Arsenic(As)	BDL(0.005)	0.01	No relaxation	mg/l	Spectrophotometric Method/ Colorimetric Method
16	Total Coliform(TC)	ND	Shall not be detectable in any 100 ml sample	No relaxation	CFU/100 ml.	IS 15185 Membrane Filtration Method
17	E-Coli	ND	Shall not be detectable in any 100 ml sample	No relaxation	CFU/100 ml.	IS 15185 Membrane Filtration Method

This Report is issued under the following terms & Condition :

1. The results apply to the sample as received only.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed, ND=Not Detected, T=Total)
5. * Value not available or test not performed for this parameter.
6. Temperature condition limit: 25±5°C and Humidity condition limit:50 ±20%

Reviewed and Approved By



Dr. Ramesh Jhorar
Quality Manager
Authorized Signatory
For,Regional Water Testing Lab
Sangrur

----- End of the Test Report -----